

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	36	(rotating and shaft and housing and support and bearing and force and movable).clm.	US-PGPUB	OR	ON	2006/01/13 16:25

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	36	(rotating and shaft and housing and support and bearing and force and movable).clm.	US-PGPUB	OR	ON	2006/01/13 16:25
S2	185	(417/361).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/08 15:22
S3	235	(417/365).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 16:22
S4	0	"shaft support" with "upward force" and pump	USPAT	OR	OFF	2005/09/08 15:24
S5	1377	(shaft with support with vertical) and pump	USPAT	OR	OFF	2005/09/08 15:24
S6	52	(shaft with support with vertical) and "upward force" and pump	USPAT	OR	OFF	2005/09/08 15:34
S7	151	(417/359).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/08 15:34
S8	0	("(shaftwithactuator)andpump").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/08 15:51
S9	5111	(shaft with actuator) and pump	USPAT	OR	OFF	2005/09/08 15:51
S10	343	(shaft with actuator with support) and pump	USPAT	OR	OFF	2005/09/08 15:52
S11	0	(shaft with actuator with support with offload) and pump	USPAT	OR	OFF	2005/09/08 15:51
S12	1230	(417/360).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/09 15:59
S13	0	10/604021	USPAT	OR	OFF	2005/09/09 15:59
S14	0	(10/604021).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/09 15:59
S15	0	"10604021"	USPAT	OR	OFF	2005/09/09 16:00
S16	0	"20040037721"	USPAT	OR	OFF	2005/09/09 16:00

S17	2	("20040037721").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/09 16:00
S18	90	(384/627).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/12 11:31
S19	382	(417/244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/12 11:31
S20	2	("4276002").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/12 12:17
S21	2	("4345884").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/12 12:17